





Edge Guard for Pin & Barrel Continuous Hinges

SL308



Edge Guard for Pin & Barrel Continuous Hinges





MATERIAL: 16 gauge 304 stainless steel.

LENGTHS: 83", 85", 95" and 120" lengths standard for nominal door heights. Custom lengths are available.

FINISH: US32D satin stainless steel (630).

ORDER: Specify edge guard length. #10 x 1-1/4" Phillips flathead undercut 304SS sheet metal screws are provided as a standard pack. Adjust-Screws™ optional at extra cost. Specify wood or metal door.

SL308 EDGE GUARD SCREW COUNT

HINGE LENGTH	DOOR SCREWS
83"	7
85"	7
95"	8
120"	10

SPECIFICATIONS

SL308 Continuous Edge Guard



SELECT Advantages



CORROSION-RESISTANT STAINLESS STEEL

Stainless steel pin & barrel construction creates a tough, highly secure opening.



VARIETY OF FINISHES

Available in polished, brushed and painted finishes to match, contrast or accent your building's design.



3-HR. FIRE RATING

Fire-rated out of the package. No extra parts to buy or install, no liability worries.



ADJUSTA-SCREW™ FASTENERS

Remedy out-of-square doors and frames easily. Correct fit variances up to 3/8" along full length of door.

